

Y.Cougar Series

Compact and multifaceted solutions for
2D and 3D microfocus inspection



- Rapid, high-resolution inspection results
- Y.QuickScan® – The ultrafast μ CT solution
- Easy operation
- 16-bit digital image-capture chain
- Low space requirement





The system's intuitive operation allows inspection tasks to be performed quickly and effortlessly, while the extreme speed of inspection workflows recommends Y.Cougar for use in small-scale series inspection.

In the case of manual or single-part inspection, '1-click operation' makes working with Y.Cougar that much easier. The first radiographic image is available in a few seconds. Functions such as Click & Center, Frame & Zoom, Click & Fly or Grid Inspection can all be executed with one click.

When designing Y.Cougar, special attention was paid to a low space requirement and intuitive operation so that even an inexperienced operator can acquire good images quickly and the system can be run at nearly any location.

As with all units from Feinfocus, Y.Cougar offers a previously unachieved output and efficiency in both manual and automatic X-ray inspection. The brilliant radiographic images are attained via proven Feinfocus X-ray tube technology and an excellently controlled flat-panel detector.



YXLON. X-ray technology at its best.




- 1 BGA ball
- 2 Electronic component with air inclusions
- 3 Torn bond wire
- 4 Coil former in a relay

Configuration and Specifications

General Product Features		X-Ray Tube	
Time to first image (typ.)	~ 20 sec	Tube type	Open microfocus tube or Open multifocus tube (MFT)
Reconfiguration time (typ.)	< 60 sec	Target	Transmissive
μCT scan time (min)	8 sec	Target material	Tungsten
μCT reconstruction time (min)	~ 90 sec	Voltage range	25–160 kV
Image chain	Flat-panel-detector	Current range	0.01–1.0 mA
CNC	yes, incl. «Click & Center» etc.	Max. tube power	64 W
Twin magnification axis	yes, for Zt and Zd positioning	Max. target power	10 W
Oblique viewing	+/-70° (140°)	Detail detectability	< 1 μm, < 500 nm with MFT
		X-Ray intensity control	TXI
Manipulation		Image Chain	
Manipulation control via	Mouse & joystick	Geometric magnification (max.)	2,000x
Inspection area (max.)	310 mm x 310 mm (12" x 12")	Total magnification (max.)	10,000x
Sample size (max.)	440 mm x 550 mm (17" x 21")		
Sample tray axes	X, Y	Physical Dimensions	
Oblique viewing	+/-70° (140°)	Width/depth/height [mm]	~ 1,100/1,100/2,100
CNC	yes	Weight	~ 1,450 kg



- 1 Turntable in Y.Cougar SMT
- 2 Crack in a turbine blade
- 3 Inner bone structure
- 4 Stent







Y.Cougar SMT

The enhanced Y.Cougar SMT system offers greater flexibility in manual and semiautomatic 2D and 3D μ CT X-ray inspection for medium-range and large-scale numbers of items. The standard version includes a digital flat-panel detector, CNC, oblique views and the following possibilities for manipulation:

- Z-axis detector with 140° tilt
- Sample tray X/Y positioning
- 360° specimen turntable (optional)
- Highly precise μ CT sample rotation (with Y. μ CT module)
- Z-axis tubes

Inspection Workflow

Y.Cougar SMT systems with oblique viewing and the CNC function are particularly suited for demanding tasks. The system can be guided manually via joysticks or by «Click & Center» within the X-ray and overview image. All it takes are a few mouse clicks to be able to train inspection workflows code-free. The Visual Basic Script generated thereby is excellently suited for additional adaptations specific to the customer. The “Easy-View” user interface allows direct access to libraries containing trained inspection workflows.



1 Defective BGA
2 Bond wires in a CT image
3 Tomogram
4 CT axis

Y.μCT Module with Y.QuickScan® Option

The Y.μCT module allows an in-depth look into the inner, three-dimensional construction of inspection items via virtual cross-sections and layers. The Y.μCT module is obtainable for the Y.Cougar SMT system and includes the following components:

- μCT manipulator with highly accurate rotation axis
- User-friendly scan and reconstruction software
- Workstation for reconstruction and visualization
- Y.QuickScan® for μCT scans within seconds and reconstructions in less than 2 minutes (optional)

Inspection Workflow

Systems with the Y.μCT module are particularly suited for high-resolution volumetric scans. Tube settings and positioning can be carried out within seconds or loaded via pre-deposited inspection workflows.

A sequence of projections is acquired during 360° sample rotation and fed on for reconstruction. The visualization software using an interface similar to CAD enables the detailed analysis of virtual cross-sections, layers and a lot more.

YXLON

Technology with Passion

YXLON International GmbH

Essener Bogen 15

D-22419 Hamburg

Germany

T: +49 40 527 29-101

sales@hbg.yxlon.com, www.yxlon.com